

Ganz Lite LED Monitor



- 1280 (H) x 800 (V)
- High Contrast Ratio
- HDMI / BNC / VGA
- Slim Design
- 10.1" LED
- Multi-Language OSD
- VESA
- 16:9 Display Ratio
- Integrated Speakers

Order data

Order number	Product description
LMEG10-II	10.1" LED Monitor, 1280 x 800, HDMI, BNC, VGA, 1.3kg

Ganz Lite LED Monitor



LMEG10-II

Technical specifications	
Panel Type	10.1" LED Monitor
Case Type	Metal, Glass Front
Max Resolution	1280 (H) x 800 (V)
Pixel Pitch	0.169 (V) x 0.169 (H) mm
Bezel Thickness	L/R: 14.9 mm, T: 14.6mm, B: 26.2mm
Active Display area	216.96 (H) x 135.60 (V) mm
Contrast ratio	800:1
Brightness	300 cd/m2
Response time	12ms
Viewing Angle	80° / 80°
Display Colours	16.7 M
Video Synchronisation	Yes
PC Compatible	Yes
Aspect Ratio	16 : 9
VGA Auto Frequency Correction	Yes
Speakers	2
Work Humidity	0% ~ 90%
Work Temperature	0°C to +50°C
Power ON/OFF	Yes
Video Interface	In: HDMI, BNC, VGA Out: BNC
Audio Interface	3.5mm Jackplug
Power Interface	DC in
Certification	FCC, CE, ROHS-2, Reach, Weee
Vesa Standard Mount	75mm x 75mm
Stand Type	Picture Frame
Colour	Black
Button Position	Front
Packing Dimension	360 x 320 x 90mm
Nett Weight	1.3kg
Gross Weight	1.75kg
Power Supply	220 / 240 VAC
Voltage Power	12 VDC, 1A
Power Consumption	<10 W
OSD Control	VIDEO-Picture, Brightness, Contrast, Colour, Sharpness, Tint, Colour Temp, Advance, Control, Focus. AUDIO-Sound Mode, Balance, Bass, Treble, Virtual Surround, AVL, SETTING-Menu Language, Picture Format, Menu Timeout, Menu Transparency, Power On Status, Blue Screen, Colour System, Time Setup, System Reset
OSD Language	English, French, German, Spanish, Italian, Russian, Portuguese, Polish, Arabic & Korean
Accessories	Power supply, Stand, Remote Control, Users guide, HDMI cable

Ganz Lite LED Monitor

Dimensions

